CONTRACT C WORKSHEET

PRON M1216300M1

AMC 2

AMSC G

ATC LAE3C

TDP 9358396

TDPL DATE 06/25/02

NSN 6150012471059

NOMENCLATURE CABLE ASSY GPIA POWER C-W21

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LEVEL A PACKAGING SHALL BE IN ACCORDANCE WITH METHOD 41 OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DWG 9358396, SHT 1, NOTE 2: DELETE "CHED-22". REPLACE WITH "CHED-228".

DWG 12983371, SHT 1, NOTE 9: DELETE "PEI ELECTRONICS INC." AS AN APPROVED SOURCE OF SUPPLY. NOTE 3: DELETE "NOMENCLATURE LISTED ... PER SPEC MIL-M-81594." REPLACE WITH "WITH HOT STAMP MARKING FOIL THE NOMENCLATURE LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED IN PARAGRAPH 3 OF SAE-AS81531."

SPEC 12309071

Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one):

Y or X N

atch 002

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-247-1059

Control Number/PRON: M1216300

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Te OR	18 Jul 94 st
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT DATA REQUIREMENTS LIST

	I	DD FORM 1423 (ME	CHANIZED)	
	CATEGORY: MISC TO CONTRACT/PR: M12	•	ABLE AND CONDUIT A	
1. SEQUE	INCE NUMBER			DRFT/REG/REPRO
3. SUBTI			DISTRIBUTION	COPIES
	ITEM NUMBER			
	ACT REFERENCE	ם ממג פ	T. CM3 (III) ATINI	
o. iechi	250	8. APP 9. DIS CODE REQU	JIRED	
	UENCY 11. AS OF DAT		15. TOTA	ΔL:
12. DATE	OF 1ST SUBMISSION	13. DATE OF SUI	BSEQUENT SUBMISSION	
1. A001			14.	
I. HOUI			SEE ADDRESS COI	DE / /
2. ENGIN	EERING CHANGE PROPOS	AL (ECP)	DISTRIBUTION ATTACHED***	/ /
4. DI-CM	AN-80639C*			
5. SECTI	ON C			
6. AMSTA	-AR-QAW 7. LT	8 9. **		
10. ASRE	Q 11		15. TOTAL	0/0/0
12. ASRE	Q	13. ASREQ		
ENT ATIB D AN ECP LOC THE AND	ETE PARAGRAPH 2 OF D OF THE ECP. CONTRAC LE SOFTWARE (I.E., M D IMPLEMENTED BY THE -INPUT@RIA.ARMY.MIL. ATED AT HTTP://E-DAT	TOR FORMAT IS AC ICROSOFT OFFICE) DOD CONFIGURATI ELECTRONIC FII A.PICA.ARMY.MIL/	D DATA DELIVERY DESCR CCEPTABLE, DATA MUST . **DIST STATEMENT ON MGR. ***SUBMIT EL LES MUST BE LESS THAN PROD TECHDATA/CMDOCS THIS DATA ITEM. (DD	BE IN GOVT COMP WILL BE ASSIGNE ECTRONICALLY TO 7MB. THE FORMS -LINK.HTM ARE
1. A002			14.	- / /
2. REQUE	ST FOR DEVIATION (RF	D)	SEE ADDRESS COD DISTRIBUTION ATTACHED***	E / / / /
4. DI-CM	AN-80640C*			, , ,
5. SECTI	ON C			
6. AMSTA	-AR-QAW 7. LT	8 9. **		
10. ASRE	Q 11		15. TOTAL	0/ 0/ 0
12. ASRE	Q	13. ASREQ		

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONT ENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIALARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

	A003		14. SEE ADDRESS CODE	/ /
2.	NOTICE OF REVISION (NOR) 3.		DISTRIBUTION ATTACHED**	/ /
4.	DI-CMAN-80642C*			•
5.	SECTION C		•	
6.	AMSTA-AR-QAW 7. LT	8 9. ***		
10.	. ASREQ 11		15. TOTAL	0/ 0/ 0
12.	. ASREQ	13. ASREQ		

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB LE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT® RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

PRON M1216139M1

AMC 2

AMSC G

ATC LAE3F

TDP 12981783

TDPL DATE 04/10/02

NSN 6150014854430

NOMENCLATURE CABLE ASSY HEAD/CONT-W151

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LAVER (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41)

OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DOCUMENT

DELETE

REPLACE WITH

12981784

ICORE INTERNATIONAL

NO LONGER AN APPROVED SOURCE

NOTE 9

6006684

12981784

DRAWING 12981784, NOTE 9, WILL BE UPDATED TO ADD DRAWING NO. 12981784 AS VENDORS ITEM IDENT NO. FOR JOSLYN SUNBANK CORP.

IN DRAWING 12981784. REPLACE NOTE 3 WITH: "BEFORE HEAT SHRINKING

INSULATION SLEEVING, APPLY WITH HOT STAMP MARKING FOIL THE NOMENCLATURE

LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED

IN PARAGRAPH 3 OF SAE-AS81531".

DRAWINGS 12309071, SHEETS 1,2,3,4,5, 12354499, AND 12981783 SHEETS 2.3

WILL BE UPDATED TO ADD DISTRIBUTION STATEMENT C "DISTRIBUTION AUTHORIZED

TO U.S. GOVERNMENT AGENCIES AND THIER CONTRACTORS TO PROTECT TECHNICAL

OR OPERATIONAL INFORMATION FROM AUTOMATIC DISSEMINATION UNDER THE

INTERNATION EXCHANGE PROGRAM OR BY OTHER MEANS. THIS DETERMINATION WAS

MADE ON NOV 1991. OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO

COMMANDER, ARDEC, ATTN: AMSTA-AR-FSF-A, PICATINNY ARSENAL, NJ 07806-5000".

SPECIAL PACKAGING INSTRUCTION

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other sepect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for falling to comptly with a

1. PART OR DRAWING NO. NOMENCLATURE				2. CODE IDENT	3. SPI NO.	
12981783 CABLE ASSEMBLY HEAD/CONTROLLER-W151				19200	(AM) P12981783	
4. NATIONAL STOCK NO.				5.DATE OF DRAWING/SPI(YYMMDD)	6. REVISION / ERR NO.	
6150-01-148-4430)				02-04-18	-/H2K2010
		CK WT. (LB) (0.0)		10. UNIT PACK CU (CU. FT.)(0.000)	11. UNIT PACK SIZE (INCHES)(00.0)	
		5.0			0.151	25.0 X 3.5 X 3.0
12. MILITARY PRESERVATION		18. STEPS	19. REQD		20. DESCRIPTION	
MIL-STD-2073-1, METHOD 41		1		WPAR,PPP-C-1797,TY-I,SEE NOTE (A)		
13. CLEANING		2		TAPE,A-A-883,SEE NOTE (A&B)		
*		3		BAG,MIL-DTL-117,TY-I,CL-E		
14. DRYING		4			D5118,ST-OPF,GR-W6C	
*		5			1974,SEALING METHOD B	
15. PACKING						
a. LEVEL A						
MIL-STD-2073-1						
b. LEVEL B						
MIL-STD-2073-1					. д. н.	
16. MARKING						
MIL-STD-129						

17. NOTES/DRAWINGS

* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.

- (A) WRAP CONNECTOR WITH SPECIFIED MATERIAL AND SECURE WITH TAPE.
- (B) COIL CABLE IN HALF AND SECURE WITH TAPE.

WSC: LB

ITEM SIZE: 48.0 X 3.0 X 2.0

ITEM WEIGHT: 3.0

APPROVED: JACK LAM

DISTRIBUTION STATEMENT A, UNLIMITED

DOCUMENT SUMMARY LIST

Item: CONDUIT and CABLE ASSY

NSN: 6150-01-485-4430

Control Number/PRON: M1216139

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

Document Number

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

(Contract Reference) Applicable Tailoring		Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and T OR	18 Jul 94 est
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT DATA REQUIREMENTS LIST DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CONDUIT and CABLE ASSY

TO CONTRACT/PR: M1216139

1. SEQUENCE NUMBER	14. DISTRIBUTION	
2. TITLE OF DATA ITEM		
3. SUBTITLE 4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE 7. DD 8. APP 9. DIST ST 250 CODE REQUIRE		
10. FREQUENCY 11. AS OF DATE	15. TOTA	L:
12. DATE OF 1ST SUBMISSION 13. DATE OF SUBSECTION. 13. DATE OF SUBSECTION.	QUENT SUBMISSION	
1. A001	14.	
	SEE ADDRESS COD	•
2. ENGINEERING CHANGE PROPOSAL (ECP) 3.	DISTRIBUTION ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW 7. LT 8 9. **		
10. ASREQ 11	15. TOTAL	0/ 0/ 0
12. ASREQ 13. ASREQ		
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DA ENT OF THE ECP. CONTRACTOR FORMAT IS ACCED ATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). D AND IMPLEMENTED BY THE DOD CONFIGURATION ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES LOCATED AT HTTP://W4.PICA.ARMY.MIL/ARDEC-F ETHOD OF SUBMISSION FOR THIS DATA ITEM. (DE	PTABLE, DATA MUST I **DIST STATEMENT MGR. ***SUBMIT ELI MUST BE LESS THAN RI/CMFORM.HTM ARE	BE IN GOVT COMP WILL BE ASSIGNE ECTRONICALLY TO 7MB. THE FORMS THE PREFERRED M
1. A002	14.	
2. REQUEST FOR DEVIATION (RFD)	SEE ADDRESS CODE DISTRIBUTION ATTACHED***	E / / / /
4. DI-CMAN-80640C*	ATTACRED	/ /
5. SECTION C		
6. AMSTA-AR-QAW 7. LT 8 9. **		
10. ASREQ 11	15. TOTAL	0/ 0/ 0
12. ASREQ 13. ASREQ		
16. REMARKS *DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DA ENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING E TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DE ONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MU E (I.E., MICROSOFT OFFICE). **DISTRIBUTION MPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT .ARMY.MIL. ELECTRONIC FILES MUST BE LESS TH	TO SUPPORT THE PODESCRIPTION SHALL IN STATEMENT WILL BE THE STATEMENT WILL BE TO ELECTRONICALLY TO	OSITION RELATIV BE INCLUDED. C PATIBLE SOFTWAR ASSIGNED AND I D ECP-INPUT@RIA

Exch B

SSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

TP://W4.PICA.AMRY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMI

1. A003

14.

SEE ADDRESS CODE / /
DISTRIBUTION / /
ATTACHED** / /

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW 7. LT 8. - 9. ***

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB LE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@ RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTT P://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISS ION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

PRON M1216140M1

AMC 2

AMSC G

ATC LAE3F

TDP 12972247

TDPL DATE 04/15/02

NSN 6150014854431

NOMENCLATURE CABLE ASSY POWER CABLE-W490

ENGINEERING EXCEPTIONS: The following engineering changes apply to this

procurement action(s):

LEVEL (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41)

OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DOCUMENT

DELETE

REPLACE WITH

12972239

PEI ELECTRONICS

NO LONGER AN APPROVED SOURCE

DRAWING 12972239, NOTE 9 WILL BE UPDATED TO ADD DRAWING NO. 12972239
AS VENDORS ITEM IDENT NO. FOR JOSLYN SUNBANK CORP.

IN DRAWING 12972239, REPLACE NOTE 3 WITH: "BEFORE HEAT SHRINKING

INSULATION SLEEVING, APPLY WITH HOT STAMP MARKING FOIL THE NOMENCLATURE

LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED

IN PARAGRAPH 3 OF SAE-AS81531".

DRAWING 12354499, 12972239 SHEET 2, AND 12972247 SHEET 2 WILL BE UPDATED

TO ADD DISTRIBUTION STATEMENT C "DISTRIBUTION AUTHORIZED TO U.S.

GOVERNMENT AGENCIES AND THIER CONTRACTORS TO PROTECT TECHNICAL OR

OPERATIONAL INFORMATION FROM AUTOMATIC DISSEMINATION UNDER THE

INTERNATIONAL EXCHANGE PROGRAM OR BY OTHER MEANS. THIS DETERMINATION WAS

MADE ON 19 NOV 1991. OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED

TO COMMANDER, ARDEC, ATTN: AMSTA-AR-FSF-A, PICATINNY ARSENAL, NJ 07806-5000".

atel 009

SPECIAL PACKAGING INSTRUCTION

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subjected to any penalty for failing to comply with a

collection of information if it does not dis	play a currently valid OMB control number. PLEAS	E DO NOT RETURN Y	OUR FORM TO	THIS ADDRESS		
1. PART OR DRAWING NO. NOMENCLATURE				2. CODE IDENT	3. SPI NO.	
12972247 CABLE ASSEMBLY POWER CABLE-W490				19200	(AM) P1272247	
4. NATIONAL STOCK NO.				5.DATE OF DRAWING/SPI(YYMMDD)	6. REVISION / ERR NO.	
6150-01-148-4431					02-04-18	-/H2K2010
7. QUP / UNIT OF ISSUE	8. ICQ	9. UNIT PAC	K WT. (LB)	(0.0)	10. UNIT PACK CU (CU. FT.)(0.000)	11. UNIT PACK SIZE (INCHES)(00.0)
		8.0			0.223	28.0 X 4.0 X 3.5
12. MILITARY PRESERVATION		18. STEPS	19. REQD	20. DESCRIPTION		
MIL-STD-2073-1	, METHOD 41		1		WPAR,PPP-C-1797,TY-I,SEE NOTE (A)	
13. CLEANING		2		TAPE,A-A-883,SEE NOTE (A&B)		
*		3		BAG,MIL-DTL-117,TY-I,CL-E		
14. DRYING		4		CONTAINER, ASTM D5118, ST-OPF, GR-W6C		
*		5		CLOSURE, ASTM D	1974,SEALING METHOD B	
15. PACKING		:				
a. LEVEL A						
MIL-STD-2073-1			1			
b. LEVEL B						
MIL-STD-2073-1						
16. MARKING						
MIL-STD-129						

17. NOTES/DRAWINGS

* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREON.

- (A) WRAP CONNECTOR WITH SPECIFIED MATERIAL AND SECURE WITH TAPE.
- (B) COIL CABLE AND SECURE WITH TAPE.

WSC: LB

ITEM SIZE: 120.0 X 3.0 X 2.0

ITEM WEIGHT: 9.0

APPROVED: JACK LAM

DISTRIBUTION STATEMENT A, UNLIMITED

Page 1 of 1 Pages

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-485-4431

Control Number/PRON: M1216140

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	•	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and T OR	18 Jul 94 est
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT DATA REQUIREMENTS LIST DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE AND CONDUIT ASSEMBLY

TO CONTRACT/PR: M1216140

1. SEQUENCE NUMBER	14. DRFT/REG/REPRO DISTRIBUTION COPIES
2. TITLE OF DATA ITEM	
3. SUBTITLE	
4. DATA ITEM NUMBER	
5. CONTRACT REFERENCE	
6. TECHNICAL OFFICE 7. DD 8. APP	O. DIST STATEMENT
	REQUIRED
10. FREQUENCY 11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION 13. DATE	OF SUBSEQUENT SUBMISSION
16. REMARKS	
1. A001	14.
1. A001	SEE ADDRESS CODE / /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION / /
3.	ATTACHED*** / /
3.	
4. DI-CMAN-80639C*	
5. SECTION C	
6. AMSTA-AR-QAW 7. LT 8	9. **
	15. TOTAL 0/0/0
10. ASREQ 11	15. IOIAL 0/ 0/ 0
12. ASREQ 13. ASRE	2
16. REMARKS	
	TTACHED DATA DELIVERY DESCRIPTION FOR CONT
ENT OF THE ECP. CONTRACTOR FORMA	T IS ACCEPTABLE, DATA MUST BE IN GOVT COMP
ATIBLE SOFTWARE (I.E., MICROSOFT	OFFICE). **DIST STATEMENT WILL BE ASSIGNE
D AND IMPLEMENTED BY THE DOD CONF.	IGURATION MGR. ***SUBMIT ELECTRONICALLY TO
ECP-INPUT@RIA.ARMY.MIL. ELECTRO	NIC FILES MUST BE LESS THAN 7MB. THE FORMS
LOCATED AT HTTP://W4.PICA.ARMY.M	IL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED M
ETHOD OF SUBMISSION FOR THIS DATA	ITEM. (DD FORMS 1692, 1694 AND 1695)
1. A002	14.
1. 1.002	SEE ADDRESS CODE / /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION / /
3.	ATTACHED*** / /
4. DI-CMAN-80640C*	
5. SECTION C	
6. AMSTA-AR-QAW 7. LT 8	9. **
	15 MOM31 0/0/0
10. ASREQ 11	15. TOTAL 0/ 0/ 0
10.300	•
12. ASREQ 13. ASRE	Q
16. REMARKS	TOP COME
	TTACHED DATA DELIVERY DESCRIPTION FOR CONT
	IS/TESTING TO SUPPORT THE POSITION RELATIV
	DELIVERY DESCRIPTION SHALL BE INCLUDED. C
	UT DATA MUST BE IN GOVT COMPATIBLE SOFTWAR
	TRIBUTION STATEMENT WILL BE ASSIGNED AND I
	***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA
.ARMY.MIL. ELECTRONIC FILES MUST	BE LESS THAN 7MB. THE FORMS LOCATED AT HT
	FORM.HTM ARE THE PREFERRED METHOD OF SUBMI

ExhC

SSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694, AND/OR 1695)

1. A003

2. NOTICE OF REVISION (NOR)

3. ATTACHED**

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW

7. LT 8. - 9. ***

10. ASREQ 11. --- 15. TOTAL 0/ 0/ 0

12. ASREQ 13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CON TENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIB LE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@ RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. FORMS LOCATED AT HTT P://W4PICA.ARMY.MIL/ARDEC-RI/CMFORM.HTM ARE THE PREFERRED METHOD OF SUBMISS ION FOR THIS DATA ITEM. ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html